



GAGE BILT

RIVET TOOLS

Made in the USA



CORDLESS
Battery-Powered
Installation Tools

DISTRIBUTED BY

ADVANCE 
COMPONENTS

advancecomponents.com

972-446-5500

New Product

GAGE BILT

INNOVATIVE
RIVET & LOCKBOLT TOOLS

DISTRIBUTED BY

ADVANCE 
COMPONENTS

advancecomponents.com 972-446-5500



**Battery Charger included*

GB 110A

Rivdom eBZ SF

20 V BATTERY INSTALLATION TOOL

 **Lightweight**

 **Portable**

GB 110A SPECIFICATIONS

Weight (Incl. battery) - 4.6 lbs. (2.10 kg)

Total Stroke - 1,181" (30 mm)

Rated Pull Load - 5,395 lbs. (24 kN)

Charger charging time to - 22 / 30 minutes 90% / 100%

INSTALLS: 5/32" - 1/4" LOCKBOLTS



AND 1/4" BOM® (Repair Only)



GB110A SERIES

- GB110A Includes (1) VP1086 (2Ah Battery)
- GB 110A/2 Includes (2) VP1086 (2Ah Batteries)
- GB110A-4AH Includes (1) VP1357 (4Ah Battery)
- GB110A/2-4AH Includes (2) VP1357 (4Ah Batteries)

 **HONSEL**

GB110A SERIES

- GB110A Includes (1) VP1086 (2Ah Battery)
- GB 110A/2 Includes (2) VP1086 (2Ah Batteries)
- GB110A-4AH Includes (1) VP1357 (4Ah Battery)
- GB110A/2-4AH Includes (2) VP1357 (4Ah Batteries)

INSTALLS: 5/32"-1/4" LOCKBOLTS



MG® C6L® LGP® NAS®

AND 1/4" BOM® (Repair Only)



DISTRIBUTED BY



advancecomponents.com 972-446-5500

GAGE BILT
INNOVATIVE
RIVET & LOCKBOLT TOOLS

GB110A - SELECTION CHART

FASTENER	DIA.	STRAIGHT		OFFSET	
C6L® LOCKBOLTS	3/16	LB06-722-20	LB06-722-60		
	1/4	LB08-722-20	LB08-722-60		
MAGNA-GRIP® LOCKBOLTS	3/16	MG06-722-20	MG06-722-60		
	1/4	MG08-722-20	MG08-722-60		
LGP® LOCKBOLT LGPL2SC-V BACB30VM LGPL18SC-V BACB30XT LGPL4SC-V ABS0548 LGPL2SP-V BACB30VN LGPL4SP-V ASNA2392 LGPL8SC-V BACB30WD LGPL9SC-V BACB30WB LGPL9SP-V BACB30VY BACB31N BACB31P	5/32	LGP05-2480-10 LGP05-2480-45	LGP05-2480-20		
	3/16	LGP06-2480-10 LGP06-2480-45	LGP06-2480-20		
	1/4	LGP08-2480-10 LGP08-2480-45	LGP08-2480-20		
	4 MM	MGP4-730B-10 MGP4-2480-45	MGP4-2480-20		
	5 MM	MGP5-730B-10 MGP5-2480-45	MGP5-2480-20		
	6 MM	MGP6-730B-10 MGP6-2480-45	MGP6-2480-20		
MLGP® (MILLIMETER) LOCKBOLT	4 MM	MLGP4-730B-10 MLGP4-2480-45	MLGP4-2480-20		
	5 MM	MLGP5-730B-10 MLGP5-2480-45	MLGP5-2480-20		
	6 MM	MLGP6-730B-10 MLGP6-2480-45	MLGP6-2480-20		
	5/32	NAS05-2480-10 NASS05-2480-20 NASS05-2480-45	NAST05-2480-10 NAST05-2480-20 NAST05-2480-45		
		3/16	NAS06-730B-10 NAS06-2480-45	NAS06-2480-20	
		1/4	NAS08-730B-10 NAS08-2480-45	NAS08-2480-20	
CONTAINER BOLT(R 12) HLPP, HLPB, HLPE, HLPS HLFSC & HLFPSM	3/8	HT12-713-20			
BLIND BOLT (SINGLE ACTION) WITH OR W/OUT DRIVE WASHER MS90353S & U / MS90354S & U MS21140S & U / MS21141S & U MAXI-BOLT®, BACB30YY, YU, & YT	5/32	SB05-752C-20 SB05-752C-80	SB05-752C-45	SB05-752B-430S	
	3/16	SB06-752B-20 SB06-752B-80	SB06-752B-45	SB06-752B-430S	
BLIND BOLT (SINGLE ACTION) WITH DRIVE WASHER MS90353S & U / MS90354S & U MS21140S & U / MS21141S & U CR7000 SERIES, BACB30YY, YU, & YT	5/32	UBB05-752C-20 UBB05-752C-80	UBB05-752C-45	UBB05-752B-430S	
	3/16	UBB06-752B-20 UBB06-752B-80	UBB06-752B-45	UBB06-752B-430S	
EN6122 & UAB130-EU EN6127 & UAB6127-EU EN6128 & UAB100-EU EN6129 & UABP-EU	5/32	UAB568-713-21 (INSTALLS 5/32", 3/16" & 1/4")	UAB568-713-61 (INSTALLS 5/32", 3/16" & 1/4")	UAB05-752B-430S	
	3/16			UAB06-752B-430S	
	1/4				
BLIND RIVET (SINGLE ACTION) WITH OR W/OUT DRIVE WASHER NAS1900 S & U SERIES	1/8	SMLS04-108-23		SMLS04-752B-430S	
	5/32	SMLS05-108-23		SMLS05-752B-430S	
	3/16	SMLS06-108-23		SMLS06-752B-430S	
	1/4	SMLS08-713-20		SMLS08-752B-430S (aluminum only)	
"A" CODE NAS1398A & NAS1399A	3/32	3A-108-23		3A-752B-430S	
	1/8	4A-108-23		4A-752B-430S	
	5/32	5A-108-23		5A-752B-430S	
	3/16	6A-108-23		6A-752B-430S	
	1/4	SMLS08-713-20			
T RIVET®	3/16	6T-352-21	6T-352-61		
	1/4	8T-352-21	8T-352-61		
PROTRUDING HEAD, MULTI-GRIP BLIND RIVETS	3/16	MGL06-752A-21	MGL06-752A-61		
	1/4	MGL08-752A-21	MGL08-752A-61		
MONOBOLT®	3/16	MB06-752A-21	MB06-752A-61		
	1/4	MB08-752A-21	MB08-752A-61		
TLR RVET®	1/4	8TLR-352-21	8TLR-352-61		
CHERRY MAX®, CHERRY MAX® 'AB', BACR15FRFP, BACR15GF/GK	1/8	456MAX-108-23 (INSTALLS 1/8", 5/32" & 3/16")		456MAX-731-430S (INSTALLS 1/8", 5/32" & 3/16")	
	5/32				
	3/16				
ASP® ASP 2, ASP PF, ASP 4 FF, ASP 2 F, ASP 2 LC	13/64	ASP06-752C-20	ASP06-752C-45	ASP06-752B-430S	
	17/64	ASP08-752B-20	ASP08-752B-45	ASP08-752B-430S	
	21/64	ASP10-713-20	ASP10-713-45		
STANDARD MBC® NAS1719, NAS1720 NAS1721	1/8	MBC04-108-23		MBC04-752C-430S	
	5/32	MBC05-108-23		MBC05-752C-430S	
	3/16	MBC06-108-23		MBC06-752C-430S	
MBC® LOCK CREATOR NAS1719X(L), NAS1720X(L) NAS1721X(L)	1/8	456MAX-108-23 (INSTALLS 1/8", 5/32" & 3/16")		456MAX-731-430S (INSTALLS 1/8", 5/32" & 3/16")	
	5/32				
	3/16				
GROUND STUD, M83454 BAC553B	8/32	GS8-752C-20	GS8-752C-45	GS8-752B-430S	
	10/32	GS10-752B-20	GS10-752B-45	GS10-752B-430S	
POP® OPEN END NAIL RIVET	3/32	3N-108-23		3N-751A-430S	
	1/8	4N-108-23		4N-751A-430S	
	5/32	5N-108-23		5N-751A-430S	
	3/16	6N-108-23		6N-751A-430S	
	1/4	8CN-713-21	8CN-713-61		
POP® CLOSED END NAIL RIVET (ALUMINUM MANDREL)	3/32	3N-108-23		3N-751A-430S	
	1/8	4CEA-108-23		4CEA-751-430S	
	5/32	5CEA-108-23		5CEA-751-430S	
	3/16	6CEA-108-23		6CEA-751-430S	
POP® CLOSED END NAIL RIVET (STEEL MANDREL)	3/32	3N-108-23		3N-751A-430S	
	1/8	4CES-108-23		4CES-751-430S	
	5/32	5CES-108-23	5CES-352-61	5CES-751-430S	
	3/16	6CES-108-23	6CES-352-61	6CES-751-430S	

CHERRY MAX®, MAXI-BOLT®, AND MBC® ARE REGISTERED TRADEMARKS OF CHERRY AEROSPACE. MONOBOLT® IS A REGISTERED TRADEMARK OF AVDEL UK LIMITED. ASP®, GP®, LGP®, MGP®, MLGP®, MAGNA-GRIP® AND C6L® ARE REGISTERED TRADEMARKS OF ARCONIC INC.

GAGE BILT CERTIFIES THE GB110A WILL INSTALL THE ABOVE FASTENERS

NOTE: THE LAST 2 DIGITS OF THE NOSE ASSY REPRESENTS THE LENGTH THE NOSE EXTENDS FROM THE TOOL. IE -23 = 2.3 INCHES

New Product

GAGE BILT

INNOVATIVE
RIVET & LOCKBOLT TOOLS

DISTRIBUTED BY

ADVANCE
COMPONENTS

advancecomponents.com 972-446-5500

Nose Assy

Mandrel Collection Bottle

Actuator Assy

Riveting Point Light
(white LED)

Battery Lock /
Release Latch

Battery with charging
status indication

*Battery Charger included

GB 101

Rivdom eBZ ZERO

12 V BATTERY INSTALLATION TOOL

Lightweight

Portable

GB 101 SPECIFICATIONS


Weight (Incl. battery) - 2.8 lbs. (1.3 kg)

Total Stroke - .787" (20 mm)

Rated Pull Load - 1,529 lbs. (6.8 kN)

Charger charging time to - 22 / 30 minutes 90% / 100%

INSTALLS: 3/32" - 5/32" BLIND RIVETS



GB101 SERIES

- GB101 Includes (1) VP1400 (2Ah Battery)
- GB101/2 Includes (2) VP1400 (2Ah Batteries)

HONSEL

New Product

GAGE BILT

INNOVATIVE
RIVET & LOCKBOLT TOOLS

DISTRIBUTED BY

ADVANCE
COMPONENTS

advancecomponents.com

972-446-5500



*Battery Charger included

**GB106B uses a brushless motor for more high production applications.

GB 106/GB 106B

RivdomONE

16V BATTERY INSTALLATION TOOL

Lightweight
 Portable

GB 106/GB 106B SPECIFICATIONS

Weight (Incl. battery) - 1.8 lbs. (.82 kg)

Total Stroke - .827" (21 mm)

Rated Pull Load - 2,248 lbs. (10 kN)

Charger charging time to - 22 / 30 minutes 90% / 100%

INSTALLS ANY: 3/32"-3/16" STRUCTURAL AND NON-STRUCTURAL BLIND RIVETS



GB106 SERIES

- GB106 Includes (1) VP1309 (2Ah Battery)
- GB 106/2 Includes (2) VP1309 (2Ah Batteries)

HONSEL

GB107

Rivdom eBZ 1

20V BATTERY INSTALLATION TOOL

GAGE BILT
INNOVATIVE
RIVET & LOCKBOLT TOOLS

DISTRIBUTED BY

ADVANCE 
COMPONENTS

advancecomponents.com

972-446-5500



- LIGHTWEIGHT
- PORTABLE

**INSTALLS:
3/32"-3/16"
BLIND RIVETS**



*Battery Charger Included

GB107 SPECIFICATIONS

Weight (Incl. battery)	- 3.5 lbs. (1.6 kg)
Sound Emissions	- <65 / 3 // <76 / 3 (LpA / K // LWA / K [dB])
Vibrations ah / K [m/s ²]	- <2.5 / 1.5
Total Stroke	- .984" (25 mm)
Rated Pull Load	- 2,248 lbs. (10 kN)
Charger charging time to	- 22 / 30 minutes 90% / 100%



 **HONSEL**



GAGE BILT

INNOVATIVE
RIVET & LOCKBOLT TOOLS

DISTRIBUTED BY



advancecomponents.com

972-446-5500



*Battery Charger included

GB 108

Rivdom eBZ 2

20 V BATTERY INSTALLATION TOOL

Lightweight

Portable

GB 108 SPECIFICATIONS

Weight (Incl. battery) - 4.4 lbs. (2.0 kg)

Total Stroke - 1.181" (30 mm)

Rated Pull Load - 4,496 lbs. (20 kN)

Charger charging time to - 22 / 30 minutes 90% / 100%

INSTALLS ANY: 1/8" - 1/4" STRUCTURAL AND NON-STRUCTURAL BLIND RIVETS



GB108 SERIES

- GB108 Includes (1) VP1086 (2Ah Battery)
- GB 108/2 Includes (2) VP1086 (2Ah Batteries)



New Product

GAGE BILT

INNOVATIVE
RIVET & LOCKBOLT TOOLS

DISTRIBUTED BY

ADVANCE 
COMPONENTS

advancecomponents.com

972-446-5500



Battery with charging status indication

*Battery Charger included



GB 116RN

Rivdom eVNG 2

20 V BATTERY INSTALLATION TOOL

 **Lightweight**

 **Portable**

GB 116RN SPECIFICATIONS

Weight (Incl. battery) - 5.3 lbs. (2.4 kg)

Total Stroke - .787" (20 mm)

Rated Pull Load - 5,620 lbs. (25 kN)

Charger charging time to - 22 / 30 minutes 90% / 100%

INSTALLS:

M4 - M10, M3 - M12

OPTIONAL

RIVET NUTS

M4 - M8

RIVET STUDS

PROCESS



 **HONSEL**

New Product

GAGE BILT

INNOVATIVE
RIVET & LOCKBOLT TOOLS

DISTRIBUTED BY

ADVANCE 
COMPONENTS

advancecomponents.com

972-446-5500



Mandrel Collection Bottle



Battery with charging status indication

**Battery Charger included*



GB 128

Rivdom eBZ 3

20 V BATTERY INSTALLATION TOOL

 **Lightweight**

 **Portable**

GB 128 SPECIFICATIONS

Weight (Incl. battery) - 4.6 lbs. (2.1 kg)

Total Stroke - 1.181" (30 mm)

Rated Pull Load - 5,395 lbs. (24 kN)

Charger charging time to - 22 / 30 minutes 90% / 100%

INSTALLS ANY: 1/4" - 5/16" SEAL PLUGS



GB128 SERIES

- GB128 Includes (1) VP1086 (2Ah Battery)
- GB 128/2 Includes (2) VP1086 (2Ah Batteries)

 **HONSEL**